



PT. INDIRA MITRA BOILER



# COMPANY PROFILE **PT. INDIRA MITRA BOILER**

*Expert In Industrial Energy*

021-35295874 | [info@indira.co.id](mailto:info@indira.co.id)

[www.indiramitraboiler.co.id](http://www.indiramitraboiler.co.id)

Emerald Residence Sepatan Ruko 8i, RT.026/005  
Kosambi, Kec. Sukadiri, Kabupaten Tangerang, Banten, 15530

# About Us



PT Indira Mitra Boiler is a company specializing in the industrial heating equipment sector, operating flexibly to meet the specific needs of customers while continuously improving product quality based on technical analysis and extensive experience in the sales of burners, pumps, piping systems, boilers, and industrial spare parts. We are committed to helping our customers improve operational efficiency by providing guidance and implementing the latest technologies, enabling them to minimize operational costs without compromising quality.

## Visi

Our commitment is to become a leading company in the field of Engineering and Manufacturing, dedicated to upholding strong manufacturing traditions and delivering excellent services.

## Misi

We build and maintain a team of experienced and highly qualified personnel, supported by state-of-the-art equipment and advanced fabrication processes.



# IMB History



PT Indira Mitra Boiler was originally established under the name PT Indira Dwi Mitra in 2015. Initially, the company operated in the fabrication and sales of steam boilers, thermal oil boilers, and hot water boilers.

However, in 2023, PT Indira Dwi Mitra decided to change its name to PT Indira Mitra Boiler and expand its presence in the market.

Today, we are not only focused on boiler sales, but also on burners, pumps, piping systems, and other industrial spare parts. Through this approach, PT Indira Mitra Boiler is able to provide the best solutions for energy and utility industry needs throughout Indonesia.

Through reliable performance and a strong commitment to delivering excellent customer service, PT Indira Dwi Mitra earned the trust of clients across various industrial sectors.

Along with the name change to PT Indira Mitra Boiler in 2023, the company is expected to continue maintaining long-term relationships with customers who have previously placed their trust in PT Indira Dwi Mitra.

We also continuously strive to keep up with the latest technological developments in order to provide the most efficient and energy-saving solutions for our customers.



# Product Categories



## Burner

A burner is a device used to generate heat by burning specific types of fuel. We offer a wide range of burners from well-known brands in the industry, capable of meeting your operational needs, such as Riello, FBR, Weishaupt, and others. The burner brands we provide are well-tested and proven in quality, ensuring that you do not need to worry about the safety and reliability of the products you use.

## Pump

A pump is a machine used to transfer or move liquids, such as water or chemicals, from one place to another using pressure. We offer a wide range of high-quality pumps designed to meet various operational needs, including well-known brands such as Sihi, KSB, and others.

## Pipa

Fire tube pipes are a type of pipe used in boilers to channel hot gases produced from fuel combustion through the boiler system. We supply a variety of fire tube pipe brands, such as Benteler, Vallourec, Mannesmann, and others, to meet various industrial requirements.

## Boiler

A boiler is a device used to produce steam or hot water by heating water or other working fluids using heat generated from fuels such as gas or oil. In addition to supplying boilers, we also provide after-sales services including boiler installation, maintenance, and repair.



*Burner*



*Pump*




*Pipes*



*Boiler*

IMB Boilers and Thermal Oil systems continuously improve in quality and have shown significant advancements over time in terms of technology, design, instrument accessories, materials, and pollution control by implementing the latest technologies. This enables the achievement of higher energy efficiency while also supporting regulatory policies and occupational health and safety (K3) standards to minimize negative environmental impacts. In addition, cost reductions can also be achieved by analyzing annual expenditure calculations or within a specific operational period.

A boiler is a closed vessel in which heat from combustion is transferred to water until it is converted into hot water or steam. The hot water or steam at a certain pressure is then used to transfer heat to a particular process. Water is a useful and economical medium for transferring heat in industrial processes. When water is heated and converted into steam, its volume increases approximately 1,600 times, producing a large amount of energy similar to explosive power. Therefore, a boiler is equipment that must be operated and maintained with great care. A boiler system generally consists of three main systems: the feedwater system, the steam system, and the fuel system. The feedwater system supplies water to the boiler automatically according to the required steam demand. Various valves are provided for maintenance and repair purposes. The steam system collects and controls the steam produced in the boiler. The steam is then distributed through a piping system to the points of use. Throughout the system, steam pressure is regulated using valves and monitored by pressure measuring instruments. The fuel system consists of all equipment used to supply fuel in order to generate the heat required for the boiler operation.



Efisiensi Pembangkit 80% → Efisiensi Distribusi = 83% (Termasuk Kondensat Kembali) → Efisiensi Pemanfaatan : 47%

# Customer List



- PT. Akasha Wira International Tbk
- PT. Air Surya Radiator
- PT. Pertamina (Persero)
- PT. So Good Food Manufacturing
- PT. Indofood CBP Sukses Makmur Tbk
- PT. Dua Kelinci
- Sheraton Hotels & Resorts
- PT. Cargill Indonesia
- PT. Nipsea Paint and Chemicals
- PT. Posco M-Tech
- PT. Dahana Subang (Persero)
- BPPT (Badan Pengkajian dan Penerapan Teknologi)
- PT. Waskita EPC
- PT. MUJ Indonesia
- PT. Bukaka Teknik Utama
- Humpus Transportasi Kimia
- PT. Wasco
- Puspiptek Batan Teknologi
- RSUD Cengkareng
- Hotel Grand Zuri (Laundry)
- PT. Orica Mining Service
- Nusantara Terminal Terpadu
- PT. Aplus Pacific




- PT. Wijaya Triutama Plywood Industry
- PT. Energy Feeds Indonesia
- PT. Dahana Plant Subang
- PT. Maxima Tekindo Utama
- PT. Cakrawala Megah Cemerlang
- PT. Velasto Indonesia
- PT. Tiga Pilar Mitra Teknik
- PT. Aneka Teknik Mandiri
- PT. Empat Pilar Mitra Teknik
- PT. Efisiensi Globalindo
- PT. Inti Makmur Indonesia
- PT. Abadi Inti Makmur
- PT. Sahabat Utama Industri
- PT. Bangka Cakra Mandiri
- PT. Permata Lautan Mandiri
- PT. Armada Arta Graha
- PT. Rana Global
- PT. Berkat Matsya Nusantara
- PT. Cahaya Tirta Aroma
- PT. Buajeng Kalengan
- PT. Nohara Alta Indonesia




# Customer List



Badan Pengkajian Dan Penerapan Teknologi



PT Widya Sapta Contractor



## PT. INDIRA MITRA BOILER

*Expert In Industrial Energy*



### **Our Product :**

- *Burner*
- *Pump*
- *Pipa Firetube*
- *Boiler*



# STEAM GENERATOR IMB300 to IMB5000



## Technical Specifications - Capacity and Consumption

| TECHNICAL DATASHEET                  |                                       |         |         |          |          |          |          |          |
|--------------------------------------|---------------------------------------|---------|---------|----------|----------|----------|----------|----------|
| Features                             | Unit                                  | IDM 300 | IDM 500 | IDM 1000 | IDM 1500 | IDM 2000 | IDM 3000 | IDM 5000 |
| Steam production                     | Kg/h                                  | 300     | 500     | 1000     | 1500     | 2000     | 3000     | 5000     |
| Max working pressure                 | bar                                   | 10-20   | 10-20   | 10-20    | 10-20    | 10-20    | 10-20    | 10-20    |
| TOTAL ELECTRIC POWER                 |                                       |         |         |          |          |          |          |          |
| Heavy fuel oil                       | KW                                    | 4,3     | 5,3     | 9,6      | 12,9     | 16,0     | 24,0     | 32       |
| Natural gas or diesel oil            | KW                                    | 2,3     | 2,3     | 4,6      | 5,9      | 7,0      | 12,0     | 18       |
| FUEL CONSUMPTION AT 100% OF THE LOAD |                                       |         |         |          |          |          |          |          |
| Heavy fuel oil                       | Kg/h                                  | 22      | 36      | 72       | 110      | 145      | 218      | 363      |
| Natural gas                          | Nm <sup>3</sup> /h                    | 25      | 41      | 81.5     | 124.5    | 164      | 247      | 411      |
| Diesel oil                           | kg/h                                  | 23      | 38      | 76       | 116      | 153      | 230      | 383      |
| FUEL CALORIFIC POWER                 |                                       |         |         |          |          |          |          |          |
| Heavy fuel oil                       | Kcal/kg                               | 9500    |         |          |          |          |          |          |
| Natural gas                          | Kcal/Nm <sup>3</sup>                  | 8400    |         |          |          |          |          |          |
| Diesel oil                           | Kcal/kg                               | 9000    |         |          |          |          |          |          |
| Standard electric power data         | 380 V / 50 Hz / 3 phases with neutral |         |         |          |          |          |          |          |
| Auxiliaries voltage                  | 220 V                                 |         |         |          |          |          |          |          |



**Vertical Steam Boiler**





**Fire Tube Boiler**

# STEAM GENERATOR

## IMB300 to IMB5000



### Dimensions of flash coil steam generators IMB300-5000



#### OVERALL DIMENSIONS AND CONNECTIONS OF STEAM GENERATORS IDM300-5000



| MODEL                         |                | IDM 300 | IDM 500 | IDM 1000  | IDM 1500 | IDM 2000 | IDM 3000 | IDM 5000 |      |
|-------------------------------|----------------|---------|---------|-----------|----------|----------|----------|----------|------|
| VERTICAL VERSION DIMENSIONS   |                |         |         |           |          |          |          |          |      |
| L                             | Length         | mm      | 1650    | 1900      | 2200     |          |          |          |      |
| W                             | Width          | mm      | 1080    | 1180      | 1600     |          |          |          |      |
| H                             | Height         | mm      | 1950    | 2400      | 3050     |          |          |          |      |
| HORIZONTAL VERSION DIMENSIONS |                |         |         |           |          |          |          |          |      |
| L                             | Length         | mm      |         |           | 2400     | 2900     | 3550     | 4100     | 6450 |
| W                             | Width          | mm      |         |           | 1280     | 1400     | 1500     | 1750     | 2100 |
| H                             | Height         | mm      |         |           | 1650     | 1700     | 1850     | 2200     | 2260 |
| GENERAL TECHNICAL DATA        |                |         |         |           |          |          |          |          |      |
| Stack connection              | mm             | 250     | 250     | 320       | 385      | 385      | 485      | 485      |      |
| Steam outlet                  | DN             | 25      | 40      | 50        | 65       | 80       | 100      | 125      |      |
|                               | PN             | 16      | 16      | 16        | 16       | 16       | 16       | 16       |      |
| Safety valve                  | DN             | 20/40   | 20/40   | 20/40     | 25/40    | 25/40    | 40/50    | 50/65    |      |
|                               | PN             | 25/16   | 25/16   | 25/16     | 25/16    | 25/16    | 25/16    | 25/16    |      |
| Natural gas connection        |                | 1"G     | 1 1/2"G | 2"G       | 2"G      | 2"G      | 2 1/2"G  | 2 1/2"G  |      |
| Feed water inlet              |                | 1"G     | 1"G     | 1"G       | 1"G      | 1 1/2"G  | 1 1/2"G  | 2"G      |      |
| Total volume                  | l              | 208     | 370     | 620/850   | 1100     | 2400     | 2710     | 3100     |      |
| Pipes diameter                | mm             | 60.3    | 60.3    | 60.3/50.8 | 50.8     | 50.8     | 50.8     | 50.8     |      |
| Heating surface               | m <sup>2</sup> | 6       | 8.8     | 14        | 18       | 32       | 34       | 34       |      |
| Empty weight                  | Kg             | 750     | 900     | 1100      | 2200     | 2800     | 3400     | 4300     |      |

# HOT WATER BOILER

## IMB70 to IMB3000



### Dimensions of flash coil steam generators IMB70-3000





| OVERALL DIMENSIONS AND CONNECTIONS OF STEAM GENERATORS IDM70-3000 |                |    |        |         |         |           |           |          |          |
|---|----------------|----|--------|---------|---------|-----------|-----------|----------|----------|
| MODEL   |                |    | IDM 70 | IDM 200 | IDM 500 | IDM 1000  | IDM 1500  | IDM 2000 | IDM 3000 |
| VERTICAL VERSION DIMENSIONS                                       |                |    |        |         |         |           |           |          |          |
| L   | Length         | mm | 1350   | 1650    | 1900    | 2200      |           |          |          |
| W   | Width          | mm | 900    | 1080    | 1180    | 1600      |           |          |          |
| H   | Height         | mm | 1850   | 1950    | 2400    | 3050      |           |          |          |
| HORIZONTAL VERSION DIMENSIONS                                     |                |    |        |         |         |           |           |          |          |
| L   | Length         | mm |        |         |         |           | 2400      | 2900     | 3550     |
| W   | Width          | mm |        |         |         |           | 1280      | 1400     | 1500     |
| H   | Height         | mm |        |         |         |           | 1650      | 1700     | 1850     |
| GENERAL TECHNICAL DATA  |                |    |        |         |         |           |           |          |          |
| Stack connection  | mm             |    | 250    | 250     | 250     | 320       | 320       | 385      | 385      |
| Steam outlet  | DN             |    | 25     | 25      | 40      | 50        | 50        | 65       | 80       |
|   | PN             |    | 16     | 16      | 16      | 16        | 16        | 16       | 16       |
| Safety valve  | DN             |    | 20/40  | 20/40   | 20/40   | 20/40     | 20/40     | 25/40    | 25/40    |
|   | PN             |    | 25/16  | 25/16   | 25/16   | 25/16     | 25/16     | 25/16    | 25/16    |
| Natural gas connection  |                |    | 1"G    | 1"G     | 1 1/2"G | 2"G       | 2"G       | 2"G      | 2"G      |
| Feed water inlet  |                |    | 1"G    | 1"G     | 1"G     | 1"G       | 1"G       | 1"G      | 1 1/2"G  |
| Total volume  | l              |    | 208    | 208     | 370     | 620/850   | 620/850   | 1100     | 2400     |
| Pipes diameter  | mm             |    | 60.3   | 60.3    | 60.3    | 60.3/50.8 | 60.3/50.8 | 50.8     | 50.8     |
| Heating surface   | m <sup>2</sup> |    | 6      | 6       | 8.8     | 14        | 14        | 18       | 32       |
| Empty weight  | Kg             |    | 600    | 750     | 900     | 1100      | 1100      | 2200     | 2800     |

# THERMAL OIL HEATER TOH200 to TOH6000



## Dimensions of flash coil Thermal Oil Heater TOH200-T6000



### OVERALL DIMENSIONS AND CONNECTIONS OF THERMAL OIL HEATER IDM200-6000

| MODEL-TOH | 200 | 400 | 600 | 800 | 1000 | 2000 | 3000 | 4000 | 5000 | 6000 |
|-----------|-----|-----|-----|-----|------|------|------|------|------|------|
|-----------|-----|-----|-----|-----|------|------|------|------|------|------|

#### VERTICAL VERSION DIMENSIONS

| L | Length | mm | 1200 | 1450 | 1590 |  |  |  |  |  |  |
|---|--------|----|------|------|------|--|--|--|--|--|--|
| W | Width  | mm | 970  | 1390 | 1550 |  |  |  |  |  |  |
| H | Height | mm | 2200 | 2550 | 3100 |  |  |  |  |  |  |

#### HORIZONTAL VERSION DIMENSIONS

| L | Length | mm | 2200 | 2450 | 3000 | 3570 | 3950 | 5100 | 6500 | 6750 | 6940 | 7100 |
|---|--------|----|------|------|------|------|------|------|------|------|------|------|
| W | Width  | mm | 970  | 1390 | 1550 | 1830 | 1940 | 2690 | 2900 | 3050 | 3120 | 3260 |
| H | Height | mm | 1250 | 1460 | 1690 | 1950 | 2250 | 2750 | 2850 | 3000 | 3180 | 3390 |

#### GENERAL TECHNICAL DATA

| Thermal Capacity  | Mcal/h | 200  | 400   | 600  | 800  | 1000 | 2000  | 3000  | 4000  | 5000  | 6000  |
|-------------------|--------|------|-------|------|------|------|-------|-------|-------|-------|-------|
| Stack conn.       | mm     | 250  | 250   | 290  | 320  | 320  | 385   | 385   | 485   | 485   | 485   |
| Oil Inlet/Outlet  | DN     | 40   | 40    | 50   | 50   | 80   | 100   | 100   | 125   | 150   | 150   |
|                   | PN     | 16   | 16    | 16   | 16   | 16   | 16    | 16    | 16    | 16    | 16    |
| Natural gas conn. | Ø      | 1"G  | 1 ½"G | 2"G  | 2"G  | 2"G  | 2 ½"G | 2 ½"G | 3 ½"G | 4 ½"G | 5 ½"G |
| Total volume      | ltr    | 80   | 190   | 290  | 432  | 540  | 1200  | 1750  | 2300  | 3150  | 3870  |
| Pipes diameter    | mm     | 48.3 | 48.3  | 60.3 | 60.3 | 60.3 | 76.1  | 76.1  | 76.1  | 88.9  | 88.9  |
| Empty weight      | Kg     | 750  | 900   | 1100 | 2200 | 2800 | 3400  | 4300  | 4300  | 4300  | 4300  |

# Burner Catalog



## Gas Fuel



## Light Oil Fuel



## Heavy Oil Fuel



## Dual Fuel Gas/Oil



## Merek Burner



## Control Burner



## Honeywell Burner Control



## Globe Control Valve



## Pompa Suntec



## Merek Part



## **KSB Pump**



## **SIHI Pump**



## **Pipa Firetube Vallourec**



## **Pipa Firetube Benteler**



# Merk Produk



Honeywell



oilon®



SIEMENS

RIELLO



vallourec - weishaupt -

Ecoflam

baltur

Danfoss



DUNPHY

Beckett

BENTELER

BEJO

# Project Reverensi



## Marine Area



## Asphalt Mixing Plants



## General Industry





**PT. INDIRA MITRA BOILER**

*Expert In Industrial Energy*

021-35295874 | [info@indira.co.id](mailto:info@indira.co.id)